


Technical Specifications

Washbasins



Features

- Wood composite washbasins
- Durable, scratch resistant finish

Material

Woodio™ wood composite with wood content up to 80% of volume. High-quality UV, scratch and chemical resistant finishing.

Certification

Wood chips used in the product are FSC® certified which ensures that they originate from responsibly managed forests.

Declared performance

Products are CE marked and meet the criteria of European standard EN 14688 Sanitary appliances – Wash Basins – Functional requirements and test methods.

Installation

Installation requires a drain valve, including a water trap and a separate drainpipe depending on the site.

Necessary accessories for wall installation are included with wall-hung basins.

The package contains installation instructions.

Washbasins are available in different colours.

Essential Characteristics	Performance	Harmonized technical specification
Load resistance	Pass	EN 14688:2015 + A1:2018
Cleanability	Pass	EN 14688:2015 + A1:2018
Capacity of overflow	Pass	EN 14688:2015 + A1:2018
Durability	Pass	EN 14688:2015 + A1:2018

Technical Specifications

Washbasins


General Dimensions

Product	Outer dimensions (L x W x H)	Weight	Drain hole	Faucet hole	Over- flow hole	Over- flow
	cm	kg	mm	mm	mm	l/s
SS32T	32 x 32 x 13 (12.7)	2,8	46	-	-	-
SS40T	40 x 40 x 15.3(15)	3,5	46	-	-	-
SS60T	60 x 40 x 13.8(13.5)	6,3	46	-	-	-
SS40F	40 x 40 x 15.3(15)	4,2	46	35	23	0,1
SS60F	60 x 40 x 13.8(13.5)	7,2	46	35	23	0,1
SS40W	40 x 40 x 15.3(12)	4,9	46	35	23	0,1
SS60W	60 x 40 x 13.8(12)	6,9	46	35	23	0,1
SS40R	40 x 40 x 15.3(5)	3,5	46	-	-	-
SS60R	60 x 40 x 13.8(5)	6,1	46	-	-	-
C40S	40 x 25 x 9	2,8	46	35	23	0,1
C40T	40 x 40 x 18(15)	6,9	46	-	-	-
C60T	60 x 40 x 17(14)	10,3	46	-	-	-
C40F	40 x 40 x 16(15)	8,3	46	35	29	0,1
C60F	60 x 40 x 15(14)	11,2	46	35	29	0,1
C40W	40 x 40 x 16	8,0	46	35	29	0,1
C60W	60 x 40 x 15	11,8	46	35	29	0,1
C40R	40 x 40 x 18(5)	6,4	46	-	-	-
C60R	60 x 40 x 17(5)	8,6	46	-	-	-

Technical Specifications

Washbasins

Soft collection




SS32T

Soft32 table top washbasin

320 mm x 320 mm x 130 mm

Height after installation 127 mm




SS40T

Soft40 table top washbasin

400 mm x 400 mm x 153 mm

Height after installation 150 mm




SS60T

Soft60 table top washbasin

600 mm x 400 mm x 138 mm

Height after installation 135 mm




SS40F

Soft40 with faucet hole

400 mm x 400 mm x 153 mm

Height after installation 150 mm



SS60F

Soft60 with faucet hole


600 mm x 400 mm x 138 mm

Height after installation 135 mm

Technical Specifications

Washbasins

Soft collection



SS40R

Soft40 Recessed


400 mm x 400 mm x 153 mm
Height after installation 50 mm



SS60R

Soft60 Recessed


600 mm x 400 mm x 138 mm
Height after installation 50 mm



SS40W

Soft40 Wall hung

400 mm x 400 mm x 153 mm



SS60W


Soft60 Wall hung

600 mm x 400 mm x 138 mm

Technical Specifications

Washbasins

Cube collection




C40T

Cube40 Table top washbasin

400 mm x 400 mm x 184 mm

Height after installation 150 mm




C60T


Cube60 Table top washbasin

600 mm x 400 mm x 169 mm

Height after installation 135 mm




C40S



Cube40 Slim wall hung, right or left handed

400 mm x 250 mm x 90 mm




C40F

Cube40 with faucet hole

400 mm x 400 mm x 164 mm

Height after installation 150 mm



C60F

Cube60 with faucet hole


600 mm x 400 mm x 149 mm

Height after installation 135 mm

Technical Specifications

Washbasins


Cube collection



C40W

Cube40 wall-hung


400 mm x 400 mm x 164 mm



C60W

Cube60 wall-hung


600 mm x 400 mm x 149 mm



C40R

Cube40 Recessed

400 mm x 400 mm x 184 mm
Height after installation 50 mm



C60R

Cube60 Recessed

600 mm x 400 mm x 169 mm
Height after installation 50 mm