

woodio<sup>®</sup>

**WASHBASIN**  
**INSTALLATION INSTRUCTIONS**

SOFT 32 | SOFT 40 | SOFT 60 | CUBE 40 | CUBE 40 SLIM | CUBE 60

# MADE IN FINLAND

Woodio products are manufactured in Finland at Woodio's own factory in Lahti.

The Association for Finnish Work has awarded all Woodio products the Key Flag symbol in recognition of products made in Finland. We have also been awarded the Design from Finland mark that is awarded to companies that have contributed to Finnish design. We are proud to carry these awards as a symbol of Finnish work, design and craftsmanship.



**DESIGN DEED  
OF THE YEAR  
2019**



# STANDARDS COMPLIANT

Complies with EU sanitary appliances standard (EN14688).

Woodio basin can be installed in bathrooms used domestically and commercially.

Can be disposed as energy waste.



## CARE INSTRUCTIONS

If necessary, clean with a water dampened soft cloth and a mild non-abrasive dish detergent or soap. Do not use steel wool, hard or sharp tools which can scratch the surface of the sink.

For detailed care and maintenance instructions see page 20.




## CUSTOMER CARE

woodio@woodio.fi


+358 50 478 2944

# SOFT




**SOFT32 TABLE TOP  
SS32T**

320 mm x 320 mm x 130 mm  
EN 14688 – CL 00




**SOFT40 TABLE TOP  
SS40T**

400 mm x 400 mm x 150 mm  
EN 14688 – CL 00




**SOFT60 TABLE TOP  
SS60T**

600 mm x 400 mm x 135 mm  
EN 14688 – CL 00




**SOFT40 WITH A TAP HOLE  
SS40F**

400 mm x 400 mm x 150 mm  
EN 14688 – CL 10




**SOFT60 WITH A TAP HOLE  
SS60F**

600 mm x 400 mm x 135 mm  
EN 14688 – CL 10




**SOFT40 WALL HUNG  
SS40W**

400 mm x 400 mm x 150 mm  
EN 14688 – CL 10




**SOFT60 WALL HUNG  
SS60W**

600 mm x 400 mm x 135 mm  
EN 14688 – CL 10



**SOFT40 RECESSED  
SS60R**


400 mm x 400 mm x 150 mm  
EN 14688 – CL 00



**SOFT60 RECESSED  
SS60R**


600 mm x 400 mm x 135 mm  
EN 14688 – CL 00

# CUBE




**CUBE40 TABLE TOP  
C40T**

400 mm x 400 mm x 150 mm  
EN 14688 – CL 00




**CUBE60 TABLE TOP  
C60T**

600 mm x 400 mm x 135 mm  
EN 14688 – CL 00




**CUBE40 WITH A TAP HOLE  
C40F**

400 mm x 400 mm x 150 mm  
EN 14688 – CL 10




**CUBE60 WITH A TAP HOLE  
C60F**

600 mm x 400 mm x 135 mm  
EN 14688 – CL 10




**CUBE40 WALL HUNG  
C40W**

400 mm x 400 mm x 150 mm  
EN 14688 – CL 10




**CUBE60 WALL HUNG  
C60W**

600 mm x 400 mm x 135 mm  
EN 14688 – CL 10




**CUBE40 RECESSED  
C40R**

400 mm x 400 mm x 140 mm  
EN 14688 – CL 00




**CUBE60 RECESSED  
C60R**

600 mm x 400 mm x 125 mm  
EN 14688 – CL 00



**CUBE40 SLIM WALL HUNG, LEFT OR RIGHT HANDED  
C40S\_L & C40S\_R**

400 mm x 250 mm x 90 mm  
EN 14688 – CL 10




# CONTENT

Soft32 table top *SS32T*  
 Soft40 table top *SS40T*  
 Soft60 table top *SS60T*  
 Soft40 with a tap hole *SS40F*  
 Soft60 with a tap hole *SS60F*

Cube40 table top *C40T*  
 Cube60 table top *C60T*  
 Cube40 with a tap hole *C40F*  
 Cube60 with a tap hole *C60F*

 10-11




**x1**



**x2**




**x2**



**x2**

Soft40 wall hung *SS40W*  
 Soft60 wall hung *SS60W*


 12-13



**x1**



**x4**



**x4**



**x4**




**x4**



**x2**

Cube40 wall hung *C40W*  
 Cube60 wall hung *C60W*

 14-15



**x1**



**x2**




Soft40 recessed *SS40R*  
Soft60 recessed *SS60R*

Cube40 recessed *C40R*  
Cube60 recessed *C60R*



16-17




**x1**

---

Cube40 Slim *C40S\_R* & *C40S\_L*




18-19



**x1**



**x2**



**x2**



**x2**






**x2**

# INSTALLATION


Soft40 table top *SS40T*  
Soft60 table top *SS60T*  
Soft40 with a tap hole *SS60F*  
Soft60 with a tap hole *SS60F*


Cube40 table top *C40T*  
Cube60 table top *C60T*  
Cube40 with a tap hole *C40F*  
Cube60 with a tap hole *C60F*

1.




2.




 Use the template, in the package, to help you with the right installation dimensions when cutting into your table top. Please note that the installation requires a water trap and a separate drainpipe depending on the site.




3.



4.



5.




# INSTALLATION


Soft40 wall hung SS40W

Soft60 wall hung SS60W


1.



2.



3.




Use the template, in the package, to help you with the right installation dimensions.

**Note!** Before drilling holes in the wall, ensure that there are no water or gas pipes or electrical wires at the drilling site. There are electronic detectors specifically designed for locating pipes and wires inside the wall. The brackets that come with the Woodio basin are intended for stone and concrete walls. Thin-walled structures such as plasterboard require their own type of fasteners.



**4.**




**x4**



**x4**




**5.**




# INSTALLATION


Cube40 wall hung C40W  
Cube60 wall hung C60W

1.




2.



 Please note that screws for wall mounting are not included. Different types of fasteners are required for different types of wall materials.


Distribute screws evenly.




Sink level is 23 mm higher than the wall piece.



**3.**






**x2**

 Please note that the installation requires a water trap and a separate drainpipe depending on the site.


# INSTALLATION

Soft40 recessed *SS40R*  
Soft60 recessed *SS60R*  
Cube40 recessed *C40R*  
Cube60 recessed *C60R*

1.




2.




Use the template, in the package, to help you with the right installation dimensions when cutting into your table top. Please note that the installation requires a water trap and a separate drainpipe depending on the site.



**3.**




**4.**




# INSTALLATION

Cube40 Slim C40S\_R & C40S\_L


1.



2.



3.




Use the template, in the package, to help you with the right installation dimensions.

**Note!** Before drilling holes in the wall, ensure that there are no water or gas pipes or electrical wires at the drilling site. There are electronic detectors specifically designed for locating pipes and wires inside the wall. The brackets that come with the Woodio basin are intended for stone and concrete walls. Thin-walled structures such as plasterboard require their own type of fasteners.



4.




x2


5.



x2



6.



## **GENERAL INFORMATION ABOUT WOODIO MATERIAL**

The Woodio material is a waterproof wood composite with a dirt-repellent coating, making it easy to keep clean. A small amount of mild detergent is enough to keep the material clean, saving both chemicals and Nature.

## **REGULAR CLEANING AND CARE**

For daily cleaning, we recommend a mild soap solution and a soft cleaning cloth, allowing you to easily wipe most common stains. We recommend the use of neutral cleaning agents with a pH value between 6 and 8.

Do not use strongly alkaline or acidic cleaning agents, as they may damage the surface. If a strong substance gets on the surface of the product, rinse it off immediately and dry the surface with a clean cloth. Do not use steel wool, hard or sharp tools that may damage the surface.

After cleaning with soap or cleaning solution, rinse the material surface thoroughly with clean water and dry the surface with a clean and dry cloth. It is not recommended to let detergent dry on the material, as residue build-up can dull the surface over time.

Please note that dirt, toothpaste or chalk stains can be more visible on dark coloured surface. This may require more frequent cleaning. By wiping visible stains daily after use, you keep your Woodio product beautiful and make maintenance easier.

## **REPAIR**

Woodio material can be repaired and the surface of the material treated, in case damages occur. However, the feasibility of the repair need to be evaluated case by case - please contact Woodio Customer Service for assistance and more information.

If you are unsure about the suitability of a cleaning agent for the surface of your Woodio product, or if you have any other questions regarding cleaning and maintenance, don't hesitate to contact us. We're always happy to help!



## **WOODIO CUSTOMER SERVICE**

**woodio@woodio.fi or +358 50 478 2944**

# Yes, it's wood.

WOODIO OY, FINLAND

[WWW.WOODIO.FI](http://WWW.WOODIO.FI)

