


Technical Specifications

Washbasins



Features

- Wood composite washbasins
- Durable, scratch resistant finish

Material

Woodio™ wood composite with wood content up to 80% of volume. High-quality UV, scratch and chemical resistant finishing.

Certification

Wood chips used in the product are FSC® certified which ensures that they originate from responsibly managed forests.

Declared performance

Products are CE marked and meet the criteria of European standard EN 14688 Sanitary appliances – Wash Basins – Functional requirements and test methods.

Installation

Installation requires a drain valve, including a water trap and a separate drainpipe depending on the site. Necessary accessories for wall installation are included with wall hung basins.

The package contains installation instructions.

Washbasins are available in different colours.

Essential Characteristics	Performance	Harmonized technical specification
Load resistance	Pass	EN 14688:2015
Cleanability	Pass	EN 14688:2015
Capacity of overflow	Pass	EN 14688:2015
Durability	Pass	EN 14688:2015

Technical Specifications

Washbasins


General Dimensions

Product	Outer dimensions (L x W x H)	Weight	Drain hole	Faucet hole	Over- flow hole	Over- flow
	cm	kg	mm	mm	mm	l/s
SS32T	32 x 32 x 13 (12.7)	2,8	46	-	-	-
SS40T	40 x 40 x 15.3(15)	3,5	46	-	-	-
SS60T	60 x 40 x 13.8(13.5)	6,3	46	-	-	-
SS40F	40 x 40 x 15.3(15)	4,2	46	35	23	0,1
SS60F	60 x 40 x 13.8(13.5)	7,2	46	35	23	0,1
SS40W	40 x 40 x 15.3(12)	4,9	46	35	23	0,1
SS60W	60 x 40 x 13.8(12)	6,9	46	35	23	0,1
SS40R	40 x 40 x 15.3(5)	3,5	46	-	-	-
SS60R	60 x 40 x 13.8(5)	6,1	46	-	-	-
C40S	40 x 25 x 9	2,8	46	35	23	0,1
C40T	40 x 40 x 18(15)	6,9	46	-	-	-
C60T	60 x 40 x 17(14)	10,3	46	-	-	-
C40F	40 x 40 x 16(15)	8,3	46	35	29	0,1
C60F	60 x 40 x 15(14)	11,2	46	35	29	0,1
C40W	40 x 40 x 16	8,0	46	35	29	0,1
C60W	60 x 40 x 15	11,8	46	35	29	0,1
C40R	40 x 40 x 18(5)	6,4	46	-	-	-
C60R	60 x 40 x 17(5)	8,6	46	-	-	-

Technical Specifications

Washbasins

Soft collection




SS32T

Soft32 table top washbasin

320 mm x 320 mm x 130 mm

Height after installation 127 mm




SS40T

Soft40 table top washbasin

400 mm x 400 mm x 153 mm

Height after installation 150 mm




SS40F

Soft40 with faucet hole

400 mm x 400 mm x 153 mm

Height after installation 150 mm




SS60T

Soft60 table top washbasin

600 mm x 400 mm x 138 mm

Height after installation 135 mm



SS60F

Soft60 with faucet hole


600 mm x 400 mm x 138 mm

Height after installation 135 mm

Technical Specifications

Washbasins


Soft collection



SS40R

Soft40 Recessed


400 mm x 400 mm x 153 mm
Height after installation 50 mm



SS60R

Soft60 Recessed


600 mm x 400 mm x 138 mm
Height after installation 50 mm



SS40W

Soft40 Wall hung

400 mm x 400 mm x 153 mm



SS60W


Soft60 Wall hung

600 mm x 400 mm x 138 mm

Technical Specifications

Washbasins

Cube collection




C40T

Cube40 Table top washbasin

400 mm x 400 mm x 184 mm

Height after installation 150 mm




C60T

Cube60 Table top washbasin

600 mm x 400 mm x 169 mm



Height after installation 135 mm



C40S

Cube40 Slim wall hung, right or left handed

400 mm x 250 mm x 90 mm




C40F

Cube40 with faucet hole

400 mm x 400 mm x 164 mm

Height after installation 150 mm



C60F

Cube60 with faucet hole


600 mm x 400 mm x 149 mm

Height after installation 135 mm

Technical Specifications

Washbasins


Cube collection



C40W

Cube40 wall-hung


400 mm x 400 mm x 164 mm



C60W

Cube60 wall-hung


600 mm x 400 mm x 149 mm



C40R

Cube40 Recessed

400 mm x 400 mm x 184 mm
Height after installation 50 mm



C60R

Cube60 Recessed

600 mm x 400 mm x 169 mm
Height after installation 50 mm